



Photo © Concetto Studios



Photo © Tristan Filippone

Play value

Because of its individual shape, the Pyramid Tower catches the eye and is therefore suited as a playground signal and lends the site an unmistakable character. The metal tip shines in the sunlight and the cladding is transparent, letting light pass through, despite its sturdiness. A colour design provides an interesting accentuation. If the towers are grouped, it is possible to create a spectacular slide system with connecting tunnels which will undoubtedly form a big attraction in leisure areas.



Photo © Concetto Studios

Fundamental characteristics

- Unique and original
- High-quality design
- High aesthetic value
- Incentive for playing: experiencing height, curiosity
- Movement: climbing

Recommended for


- School children
- Young people
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks, leisure areas or similar

**Small Pyramid Tower
Middle Pyramid Tower
Midsize Pyramid Tower
Big Pyramid Tower**




L3.41000 - L3.43000

**Order No. L3.41000
Small Pyramid Tower**



**Order No. L3.43000
Big Pyramid Tower**



Scale 1:100

Safety check according to DIN EN 1176

Components

**Order No. L3.41000
Small Pyramid Tower**

- 4 Posts with steel feet
- 3 Floors, one-piece construction
- 4 Panels
- 1 Ladder
- 1 Tip

**Order No. L3.42000
Middle Pyramid Tower**

- 4 Posts with steel feet
- 5 Floors, one-piece construction
- 8 Panels
- 1 Ladder
- 1 Tip

**Order No. L3.42500
Midsize Pyramid Tower**

- 4 Posts with steel feet
- 7 Floors, one-piece construction
- 12 Panels
- 2 Ladders
- 1 Tip

**Order No. L3.43000
Big Pyramid Tower**

- 4 Posts with steel feet
- 8 Floors, one-piece construction
- 1 Floor, two-piece construction with post
- 16 Panels
- 2 Ladders
- 1 Tip

Technical information

Equipment made of non-impregnated mountain larch

Peeled white

Palisades peeled white means that bark, cambium and sapwood are removed, the natural shape of the trunk is preserved and can be experienced



Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape



Claddings

Claddings made of mountain larch (4 - 5 cm). Peeled white by hand, natural tree surface remains tangible and perceptible



Tongue and groove

Tongue and groove planks made of 4 cm solid wood, highly resilient, no trickling of dust / sand, protection against direct rain



Hardwood rungs

Climbing rungs made of hardwood (ash) Ø 4.2 cm, milled and mortised, secured against twisting, easy to grip and not cold for children to touch



Interlocking

Interlocking connection, with milled metal rings or serrated disc dowels, to reinforce the bolt connection under high loads transverse to the grain direction of the wood



Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



For more detailed explanation of the quality characteristics see price list.

Tip made of stainless steel, glass bead blasted

Dimensions

(small deviations possible)

**Order No. L3.41000
Small Pyramid Tower**

- Height 7.00 m
- Floor heights 1.00 - 3.00 m
- Ground surface 2.50 x 2.50 m
- Support posts diameter 22 - 24 cm
- Weight approx. 1500 kg

**Order No. L3.42000
Middle Pyramid Tower**

- Height 9.00 m
- Floor heights 1.00 - 5.00 m
- Ground surface 3.30 x 3.30 m
- Support posts diameter 25 - 29 cm
- Weight approx. 3000 kg

**Order No. L3.42500
Midsize Pyramid Tower**

- Height 11.00 m
- Floor heights 1.00 - 7.00 m
- Ground surface 4.00 x 4.00 m
- Support posts diameter 25 - 29 cm
- Weight approx. 4000 kg

**Order No. L3.43000
Big Pyramid Tower**

- Height 13.00 m
- Floor heights 1.00 - 9.00 m
- Ground surface 4.80 x 4.80 m
- Support posts diameter 26 - 35 cm
- Weight approx. 6000 kg



L3.41000 - L3.43000



Small Pyramid Tower
Middle Pyramid Tower
Midsize Pyramid Tower
Big Pyramid Tower






Photo © Tristan Filippone

Installation information

Surfacing requirements corresponding to a fall height of ≤ 1.00 m (please refer to price list for more detailed information)

Foundations

Order No. L3.41000

Small Pyramid Tower

4 items 100 x 100 x 100 cm
Excavation depth 100 cm

Order No. L3.42000

Middle Pyramid Tower

4 items 100 x 100 x 100 cm
Excavation depth 120 cm

Order No. L3.42500

Midsize Pyramid Tower

4 items 150 x 150 x 100 cm
Excavation depth 120 cm
1 item 90 x 30 x 50 cm
Excavation depth 70 cm

Order No. L3.43000

Big Pyramid Tower

4 items 150 x 150 x 100 cm
Excavation depth 120 cm
1 item 90 x 30 x 50 cm
Excavation depth 70 cm
1 item 40 x 40 x 50 cm
Excavation depth 70 cm

Attention:

Exact measurements may vary, for all installation dimensions refer to current installation instructions. For special climatic conditions, the equipment is also available with support posts made of glued laminated beams in mountain larch with square cross-section.

Technical changes reserved.

